



SUZUKI RL250L



SUZUKI RL250M



P R E F A C E


When it becomes necessary to replace parts on SUZUKI MOTORCYCLES, always use SUZUKI GENUINE PARTS which have passed a strict inspection that guarantees quality and performance.

This parts catalogue covers the list of all service parts for SUZUKI RL250L, and RL250M.

A. INSTRUCTIONS FOR QUOTING THE CATALOGUE

1. COMPOSITION OF THE PART NUMBER

1-1. REGULAR PARTS




1-2. STANDARD PARTS

Numbers of all standard parts begin with 0 except beginning with 09 or 000.


1-3. SPECIAL STANDARD PARTS

Special standard parts are parts which are similar to standard parts but differ in some respect. All special standard parts numbers begin with 09 except 099.




1-4. PARTS ASSEMBLIES

The eight digit of numbers of parts assemblies is always 8.




1-5. SPECIAL TOOLS

Part Numbers begin with 099.



1-6. MISCELLANEOUS

Part numbers begin with 99000.



2. DIMENSIONS

Dimensions of the parts in this catalogue are indicated in unit millimeters.

3. ABBREVIATIONS

Abbreviations used in this catalogue are as follows:

AR	: As required	L	: Length
ASSY	: Assembly	NT	: Number of teeth
F.No.	: Frame Number	OPT	: Optional
d.	: Diameter of material	OS	: Over size
ID	: Inside diameter.	STD	: Standard
OD	: Outside diameter	T	: Thickness
LH	: Left hand side	W	: Width
RH	: Right hand side		

~F.No.12345 : Up to F.No.RL250-12345

F.No.12345~ : From F.No. RL250-12345

Figures in the remarks column show the dimensions of parts as follows:

$$\begin{array}{c} 12 \\ | \\ \text{ID} \end{array} \times \begin{array}{c} 34 \\ | \\ \text{OD} \end{array} \times \begin{array}{c} 5.6 \\ | \\ \text{T(or W, L)} \end{array}$$

4. INNER PARTS OF ASSEMBLY

Parts number that have a period () mark before the parts name will be indicated the inner part in relation to the assembly.

5. MODIFICATION NOTICE

A parts bulletin will be sent to you on all occasions when changes in parts occur, including interchangeable modifications between new parts and old ones.

6. COLOR CHART

COLOR No.	COLOR NAME	MANSEL COLOR No.	L	M
019	BLACK	N1		○
126	PEARL METALLIC		○	○
714	MARBLE CORDBA ORANGE		○	○
737	STARDUST SILVER METALLIC			○

*The figure "999" given on end of the parts number means electrical equipment which dose not include the bulb.

PLEASE DO NOT USE THE OLD ISSUE PARTS CATALOGUE AFTER RECEIPT NEW EDITION.

WHEN ORDERING PARTS, ALWAYS REFER TO THE NEWEST EDITION OF PARTS CATALOGUE IN ORDER TO OBTAIN A RIGHT PARTS WITHOUT TROUBLE.

NOTE THAT THE DRAWINGS ON THE ILLUSTRATION PAGE ARE FOR READY REFERENCE OF SPARE PARTS NUMBER, NOT TO BE USED AS AN ASSEMBLY MANUAL. WHEN ASSEMBLING, USE "SUZUKI SERVICE MANUAL".

MILLIMETER → INCH CONVERSION CHART

	0	1	2	3	4	5	6	7	8	9
00	.000	.039	.079	.118	.157	.197	.236	.276	.315	.354
10	.394	.433	.472	.512	.551	.591	.630	.669	.709	.748
20	.787	.827	.866	.906	.945	.984	1.024	1.063	1.102	1.142
30	1.181	1.220	1.260	1.299	1.339	1.378	1.417	1.457	1.496	1.535
40	1.575	1.614	1.654	1.693	1.732	1.772	1.811	1.850	1.890	1.929
50	1.969	2.008	2.047	2.087	2.126	2.165	2.205	2.244	2.283	2.323
60	2.362	2.402	2.441	2.480	2.520	2.559	2.598	2.638	2.677	2.717
70	2.756	2.795	2.835	2.874	2.913	2.953	2.992	3.031	3.071	3.110
80	3.150	3.189	3.228	3.268	3.307	3.346	3.386	3.425	3.465	3.504
90	3.543	3.583	3.622	3.661	3.701	3.740	3.780	3.819	3.858	3.898


How to Read

	0	1	2	3	4
00	---	---	---	---	---
10	---	---	---	---	---
20	---	---	---	0.906	---
30	---	---	---	---	---


23 millimeters equal 0.906 inch

Contents are subject to change without notice or obligation.


RL250L
RL250M




①




②




③




④




⑤



⑥



⑦



⑧

